

# Hunter PT200

ProAlign<sup>®</sup> alignment system for heavy-duty trucks



MADHUS

**NEW!**



**HUNTER**  
Engineering Company



**HUNTER**  
Engineering Company

# PT200 heavy-duty alignment system

The Hunter PT200 heavy-duty alignment system using ProAlign® 2 HD software includes the essential features needed to perform fast, accurate alignments.



*Hunter PT210E shown with DSP740T sensors and 24 inch LCD*

✓ **Fast and powerful**

Linux-powered system equipped with a quad-core Intel® processor and full-speed USB support

✓ **User-friendly**

Operate anywhere in the bay with the hand-held wireless remote control

✓ **Wide-screen display support**

Wide-screen format adds efficiency

✓ **Measurement capability**

Measure camber, caster, toe, thrust angle, Steering Axis Inclination (SAI), Included Angle (IA), Toe-Out-On-Turns\* and Maximum Steering Angle\*

✓ **Multi-language support**

Available in 36 languages

✓ **Extensive specification database**

Includes more than 20 years of domestic specifications with customizable additions

✓ **Consistently up-to-date**

Easily update specifications and software yearly

# Patented software features reduce alignment times and increase productivity!



## Adjustment Bar Graphs

Adjustment bar graph displays show the amount and direction of adjustment necessary.



## WinToe® Procedure

Allows technician to adjust toe without locking the steering wheel. Virtually ensures a straight steering wheel on the first try!




## Vehicle-Specific Instructions

When special procedures are required, the instructions are provided on screen.



## Work Management

Valuable customer information can be conveniently stored in the database, allowing shop personnel to quickly reference previous alignment work orders.




## ProAlign® printouts help sell work

Explain needed parts and repairs and show completed work to customers using detailed, color-coded printouts.

*Clear and detailed printouts help you communicate and build rapport with your customers and sell more alignments.*

# Fast, accurate alignment with DSP740T sensors

- ✓ Lightweight, rugged construction
- ✓ Cordless operation
- ✓ Pro-Comp® compensation ensures accurate measurements even if wheels rotate after compensation



## Improve efficiency with Hunter's innovative self-centering wheel adaptor

- ✓ Easy-to-use design
- ✓ Lightweight, durable construction
- ✓ Fits a wide range of wheel configurations and sizes

## Specifications

Dimensions	PT210E console without DSP740T sensors	PT210E console with DSP740T sensors
Height	1486 mm (58.5 in.)	1486 mm (58.5 in.)
Width	699 mm (27.5 in.)	1397 mm (55 in.)
Depth	597 mm (23.5 in.)	1022 mm (40.25 in.)
<b>Power requirements</b>	100-240V, 3.5A-1.75A, 1-PH, 50/60 Hz	
<b>Compatible sensors</b>	DSP740T* (4 optical sensors, 4 self-centering adaptors, 4 storage brackets)	

\* Requires XF Pod Kit, 20-2072-1

\*\* If language is other than English, German, Spanish, or Russian, then keyboard is not provided.

### Standard Equipment

- ✓ Brake pedal depressor
- ✓ Keyboard\*\*
- ✓ Steering wheel holder
- ✓ Mouse pointing device

### Optional Equipment

- 167-102-2 Color printer
- 227-107-2 Monitor - 24 inch LCD
- 20-2910-1 Hand-held, XF Remote Control and XF Pod
- 20-2881-1-E Icon Remote Indicator
- 20-2882-1-E ICON Cordless Remote indicator\*
- 20-2709-1 Heavy-duty turnplates

Because of continuing technological advancements, specifications, models and options are subject to change without notice.

ProAlign and Pro-Comp are registered trademarks of Hunter Engineering Company.

1115AH



www.madhusindia.com  
 NO.40/2, DODDAKALLASANDRA, KUNANAKUNTE CROSS  
 KANAKAPURA ROAD, BANGALORE-560062  
 PH : +91-80-2666026 / +91-80-2666016 / +91-80-2666013 / +91-80-2666056  
 FAX : +91-80-2666033